
AD-A187 454 MECHANISMS OF TRANSMITTER RELEASE IN HIPPOCRNPUS 1/1
UNIVERSITY RESEARCH INSTRUMENTATION PROGRAMICU) BAYLOR
COLL OF MEDICINE HOUSTON TX D JOHNSTON 10 SEP 87
UNCLASSIFIED AFOSR-TR-87-1431 AFOSR-86-0214 F/G 6/4 NL



. REPORT SEC							EL	ECTE
			REDORT DOCUM	1ENTATION	PAGE		NO	V 1 6 1987
Unclassi				16. RESTRICTIVE	MARKINGS			
. SECURITY CI		A 4	07 154	3. DISTRIBUTION	/AVAILABILITY	OF REPOR	T	- H
b. DECLASSIFICATION AD-A187 454				Approved for public release; distribution unlimited.				
PERFORMING ORGANIZATION REPORT NUMBER(S)				5. MONITORING ORGANIZATION REPORT NUMBERS AFOSR - TR - 8 7 - 4 3				
. NAME OF P	ERFORMING ORGA	NIZATION	6b. OFFICE SYMBOL	7a. NAME OF MO	ONITORING ORG	ANIZATIO	N	
Baylor Co	ollege of Med	dicine	(If applicable)	AFOSR/NL				
ADDRESS (C	ity, State, and ZIP (ode)	<u></u>	7b. ADDRESS (Cit	y, State, and Zi	P Code)		
One Baylo	or Plaza Texas 77030)		Building A	410 FB, DC 203	32-644	8	
. NAME OF FI	UNDING/SPONSORI	ING	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
AFOSR NL				AFOSR 86-0214				
8c. ADDRESS (City, State, and ZIP Code)				10 SOURCE OF				
Building 410 Bolling AFB, DC 20332				PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.		WORK UNIT
11. TITLE (Include Security Classification)				61102F	2917		A4	
E 6110001			OVERED 1/86 to 6/30/87	14. DATE OF REPO 87/09/10				<u></u>
o. JUPPLEMEN	ITARY NOTATION				7			
7.	COSATI CODE	s	18. SUBJECT TERMS (Continue on revers				
7. FIELD	COSATI CODE		18. SUBJECT TERMS (mossy fiber		rminals, hi	ppocam	pus, L7	rP,
FIELD 9. ABSTRACT (This grarequest facility rotor ki computer of equipresearch have been hippocan	COSATI CODE GROUP S (Continue on reversant was made was for equipit, a Beckman, a Zeiss IMpment have be for which then isolating impus of rat a continue of	under the pment to pment required increases this equipant an enrichant invest	mossy fiber subcellular and identify by block and identify by block and identify by block and implement a subjected was for a subjected was for a subjected with Jipe, and a Newpood, received, and ment is being used fraction of igating mechanis	Continue on revers synaptic ter fractionation number) Research Inscellular fract Beckman L7-5 6-13.1 and JA rt vibration i have been if sed is that a mossy fiber selections sems for release	strumentatic tionation of ultracen A-20 rotors isolation in use for associated synaptic tease of glut	on Proand pa trifug, a Matable. several with Al	gram. tch clae with sscomp All i month	Our amping a SW-41 5400 tems as. The
FIELD 9 ABSTRACT (This grarequest facility rotor king the computer of equiparts and the compu	COSATI CODE GROUP S (Continue on reversant was made was for equipit, a Beckman, a Zeiss IMpment have been for which then isolating impus of rat a	under the pment to ment required increases an enrich an	mossy fiber subcellular and identify by block and identify by block and identify by block and identify by block and identify with July and a Newpoord, and a Newpoord, received, and identify being used fraction of identify mechanisms.	Continue on revers synaptic ter fractionation number) Research Inscellular fract Beckman L7-5 6-13.1 and JA rt vibration i have been in sed is that a mossy fiber selections sms for release Unclass	strumentatic tionation of ultracen A-20 rotors isolation in use for associated synaptic tease of glut	on Proand patrifug, a Matable. severawith Arminals amate.	gram. tch cla e with sscomp All i l month FOSR-85	Our amping a SW-41 5400 tems as. The 5-0178.
FIELD 9. ABSTRACT (This grarequest facility rotor king to the computer of equiparts and the co	COSATI CODE GROUP S (Continue on reversant was made was for equity. The equipit, a Beckman, a Zeiss IMpment have been isolating impus of rat a continue of	under the pment to pment required increased in the sequipant enrichment in the sequipant enrichment in the sequipant enrichment in the sequipant enrichment investigation in the sequipant enrichment enrichmen	mossy fiber subcellular and identify by block and identify by block and identify by block and implement a subjected was for a subjected was for a subjected with Jipe, and a Newpood, received, and ment is being used fraction of igating mechanis	Continue on revers synaptic ter fractionation number) Research Inscellular frace Beckman L7-5 6-13.1 and JA rt vibration if have been if sed is that a mossy fiber s sms for release 21. ABSTRACT SI Unclass 22b. TELEPHONE (202) 767	strumentatic tionation 55 ultracen A-20 rotors isolation in use for associated synaptic telese of glut	on Proand patrifug, a Matable. severawith Arminals amate.	gram. tch cla e with sscomp All i l month FOSR-85	Our amping a SW-41 5400 tems as. The 5-0178.

18 SEP 1987 87 10 14 338

Mechanisms of Transmitter Release in Hippocampus
University Research Instrumentation Program
AFOSR-86-0124
Final Report

This grant was for the purchase of equipment to establish a subcellular fractionation and patch clamping facility at Baylor College of Medicine. This equipment will be utilized for research projects associated with AFOSR Grant 85-0178, "Amine Neurotransmitter Regulation of Long-Term Synaptic Plasticity in Hippocampus." The equipment requested was: Beckman 17-55 ultracentrifuge with SW-41 rotor kit, Beckman J2-21 centrifuge with JS-13.1 and JA-20 rotors, Masscomp 5400 computer, Zeiss TM microscope, and a Newport vibration isolation table. All of the above items of equipment have been purchased, received, and have been in use for the last six months.

The experiments involve the isolation of an enriched fraction of mossy fiber synaptic terminals from adult rats. We have been investigating mechanisms of transmitter release, using biochemical and electrophysiological techniques. We have used the centrifuges successfully to develop this preparation of enriched mossy fiber synaptosomes. The computer, microscope, and isolation table are in use as a patch clamping facility to study the electrophysiological properties of these terminals.

We have successfully measured the potassium stimulated and calcium dependent release of endogenous glutamate from these terminals. We have found that several phorbol esters are able to potentiate this release of glutamate, and we are in the process of investigating the mechanisms underlying this enhanced release.

Our patch clamping has met with only limited success thus far. Although we have shown that the technique can be successfully applied to these small terminals, we have yet to make recordings of single calcium channels. The channels recorded thus far appear to be nonselective cation channels. We are currently in the process of altering our procedures and are hopeful that this aspect of the project will meet with more success in the very near future.

MTIS GRANI
DTIC TAB
Unannounced
Justification

By
Distribution/
Availability Codes

Avail and/or
Dist
Special

DTIC

COPY

H M L FED. 1988 DT1C